
	DYNATECH TECNICAL SPECIFICATION




External Dimensions in Standard Stretcher Position (length x width)	220 cm x 91 cm
Siderail Height above Mattress support platform	40cm
Siderail Length	140cm
Maximum Mattress Height	10cm
Minimum-Maximum Mattress support platform Height above floor (without Mattress)	54cm - 86cm
Castor Diameter	20 cm
Maximum Backrest Angle	90°
Maximum Thighrest Angle	40°
Maximum Calfrest Angle	25°
Trendelenburg Angle	17°
Antitrendelenburg Angle	17°
Safe Working Load (SWL)	300 Kg
Average Stretcher Weight	150 Kg
Maximum Patient Weight	250 Kg

MESPA SAĞLIK TEKNOLOJİLERİ SANAYİ A.Ş.
2. OSB Cadde 83216 NO: 20
Şehitkamil / Gaziantep Türkiye
T +90 850 203 77 27 F +90 342 337 53 13 mespa.com.tr

DYNATECH TECNICAL SPECIFICATION





MESPA SAĞLIK TEKNOLOJİLERİ SANAYİ A.Ş.
2. OSB Cadde 83216 NO: 20
Şehitkamil / Gaziantep Türkiye
T +90 850 203 77 27 F +90 342 337 53 13 mespa.com.tr

	DYNATECH TECNICAL SPECIFICATION





WEIGHTS

Average Stretcher Weight	150 kg
Safe Working Load	300 kg
Maximum Patient Weight	250 kg